

Wrocław University of Technology  
Centre of Advanced Materials and Nanotechnology

---

# **Materials Science Poland**

**Contents of Volume 25  
Author Index  
Key Word Index**

Vol. 25



2007



Oficyna Wydawnicza Politechniki Wrocławskiej

Printed in Poland

© Copyright by Oficyna Wydawnicza Politechniki Wrocławskiej, Wrocław 2008

Drukarnia Oficyny Wydawniczej Politechniki Wrocławskiej

## Contents of Volume 25

### No. 1

From the Workshop Organizers	5
M. Hecker, H. Geisler, Strain state in silicon structures for microprocessor technology	7
L. Zhu, J. Atesang, P. Dudek, M. Hecker, J. Rinderknecht, Y. Ritz, H. Geisler, U. Herr, R. Geer, E. Zschech, Experimental challenges for approaching local strain determination in silicon by nano-Raman spectroscopy	19
T. Mikolajick, N. Nagel, S. Riedel, T. Mueller, K.-H. Küsters, Scaling of nonvolatile memories to nanoscale feature sizes	33
J. Felba, T. Falat, A. Wymyslowski, Influence of thermo-mechanical properties of polymer matrices on the thermal conductivity of adhesives for microelectronic packaging	45
K. V. Mahendra, K. Radhakrishna, Fabrication of Al-4.5% Cu alloy with fly ash metal matrix composites and its characterization	57
P. Bhardwaj, P.K. Shishodia, R. M. Mehra, Photoinduced degradation in the electrical properties of normally and obliquely deposited As <sub>2</sub> Se <sub>3</sub> thin films	69
G. Niewielski, D. Kuc, K. Rodak, Microstructure of austenitic steel after the oscillatory compression test	79
J. Li, X. Cheng, Effect of lanthanum on the tensile properties of carbon-fibre reinforced thermo-plastic polyimide composites	85
C. Pannemann, T. Diekmann, U. Hilleringmann, U. Schürmann, M. Schamberg, V. Zaporozhchenko, R. Adelung, F. Faupel, PTFE encapsulation for pentacene based organic thin film transistors	95
Z. W. Zhong, Z.F. Wang, B.M.P. Zirajutheen, Y.S. Tan, Y.H. Tan, Polishing of poly(methyl methacrylate), polycarbonate, and SU-8 polymers	103
R. E. Farsani, S. Raissi, A. Shokuhfar, A. Sedghi, Optimisation of carbon fibres made from commercial polyacrylonitrile fibres using the screening design method	113
Y. Wang, Z. Zhuang, J. Zhou, Study of Nb-Zn co-doped Ba(Ti,Zr)O <sub>3</sub> ceramics	121
L. Zhong, B. Wu, L. Zhang, J. Song, Influence of milling time on the performance of ceramic ball grinding media prepared from refractory waste	129
P. Suri, M. Panwar, R. M. Mehra, Photovoltaic performance of dye-sensitised ZnO solar cell based on Eosin-Y photosensitiser	137
D. W. Zhou, P. Peng, J. S. Liu, Energetics, electronic structure, and structure stability of the calcium alloying Mg <sub>17</sub> Al <sub>12</sub> phase from first principles calculations	145
J. T. Al-Haidary, A. S. Jabur Al-Kaaby, Evaluation study of cast Al-SiC <sub>p</sub> composites	155
B. Borak, S. Laskowski, O. Heczko, A. Aaltonen, A. Baszczuk, M. Jasiorski, O. Söderberg, B. Mazurek, M. Oja, S-P. Hannula, K. Maruszewski, Submicron-sized hybrid SiO <sub>2</sub> -Ni powders produced with the sol-gel method	167
M. Samuel, C. S. Menon, N. V. Unnikrishnan, Transport properties of as-deposited cadmium phthalocyanine Schottky-barrier devices	177
K. Baltakys, R. Siauciunas, The influence of $\gamma$ -Al <sub>2</sub> O <sub>3</sub> and Na <sub>2</sub> O on the formation of calcium silicate hydrates in the CaO-quartz-H <sub>2</sub> O system	185
Y. Wang, X. Song, Z. Sun, X. Zhou, J. Guo, The solidification of CuCr alloys under various cooling rates	199
V. Balkevičius, J. Christauskas, A. Gailius, A. Špokauskas, V. Siaurys, Analysis of some properties of model system from low-melting illite clay and fibrous mineral wool waste	209
K. Wieczorek-Ciurowa, K. Gamrat, Some aspects of mechanochemical reactions	219
A. Jain, P. Sagar, R. M. Mehra, Changes of structural, optical and electrical properties of sol-gel derived ZnO films with their thickness	233

Z. Benmohamed, M. Remram, Effect of dislocation density on the efficiency of multicrystalline silicon solar cells	243
---	-----

## No. 2

From the Coordinator of the Scientific Network MAG-EL-MAT	261
M. Klimczak, E. Talik, J. Kusz, W. Hofmeister, A. Winiarski, R. Troć, Magnetic properties of Dy <sub>3</sub> Pd <sub>2</sub> single crystal	263
M. Gamża, W. Schnelle, A. Ślebarski, H. Rosner, Electronic structure of CeRh <sub>2</sub> Sn <sub>4</sub>	269
V. Leschynsky, H. Weinert, A. Szlaferek, Layered alloys for effective magnetic flux concentration in induction heating	275
Z. Klusek, Nanotechnology. Science or fiction?	283
W. Knoff, P. Dziawa, V. Osinniy, B. Taliashvili, V. Domuchowski, E. Łusakowska, K. Świątek, T. Story, Ferromagnetic transition in Ge <sub>1-x</sub> Mn <sub>x</sub> Te semiconductor layers	295
M. Samsel-Czekała, R. Troć, E. Talik, Electronic band structure and X-ray photoemission studies of ternaries APdGe (A = Th,U) in the paramagnetic state	301
B. Susła, M. Wawrzyniak, J. Barnaś, W. Nawrocki, Conductance quantization in magnetic and nonmagnetic metallic nanowires	305
A. Szytuła, Magnetic phase transitions from the point of view of macroscopic and microscopic methods	313
M. Falkowski, A. Kowalczyk, T. Toliński, G. Chełkowska, Electronic properties of CeNi <sub>4</sub> Si compound	321
V. H. Tran, J. Jarmulska, W. Miiller, Magnetism and electronic transport properties of Ce <sub>5</sub> CuPb <sub>3</sub>	327
W. Suski, About negative magnetization in non-superconducting intermetallics	333
V. H. Tran, Observation of non-Fermi liquid behaviour in new Yb-based alloys	343
T. Wosiński, O. Pelya, T. Figielski, A. Mąkosa, A. Morawski, J. Sadowski, W. Dobrowolski, R. Szymczak, J. Wróbel, Domain-wall contribution to magnetoresistance in ferromagnetic (Ga,Mn)As film	351
J. Goraus, A. Ślebarski, Electronic structure of Fe <sub>2</sub> VGa	359
K. Szymański, W. Olszewski, D. Satuła, L. Dobrzyński, Mössbauer investigations of the magnetic structure of $\gamma$ -Fe-Mn	363
I. Staniucha, A. Urbaniak-Kucharczyk, The influence of substrate and cap layer on magnetic characteristics of some multilayers	371
P. Dziawa, B.A. Orłowski, V. Osinniy, M. Pietrzyk, B. Taliashvili, T. Story, R.L. Johnson, Photoemission study of Eu 2+/3+ ions in ferromagnetic (Eu,Gd)Te semiconductor layers	377
L. Uba, S. Uba, A. Polewko-Klim, E. Miniuk, T. Luciński, P. Wandziuk, A.N. Yaresko, V.N. Antonov, Optical and magneto-optical study of Fe/Si multilayers	383
W. Miiller, V.H. Tran, A. Kondrat, Magnetic phase diagram of the URh <sub>1-x</sub> Ru <sub>x</sub> Ge system	391
K. Lipert, J. Kaźmierczak, I. Pelech, U. Narkiewicz, A. Ślawska-Waniewska, H.K. Lachowicz, Magnetic properties of cementite (Fe <sub>3</sub> C) nanoparticle agglomerates in a carbon matrix	399
W. Dobrogowski, Z. Kurant, A. Nedźwiedź, W. Stefanowicz, M. Tekielak, L.T. Baczewski, A. Wawro, A. Maziewski, Image processing study of ultrathin cobalt domain structure evolution induced by overlayer structure	405
M. Kwiecień, G. Chełkowska, A. Betlińska, Electronic structure and electric properties of Gd(In <sub>1-x</sub> Sn <sub>x</sub> ) <sub>3</sub> compounds	411
K. Załęski, M. Urbaniak, B. Szymański, M. Schmidt, J. Aleksiejew, F. Stobiecki, Magnetic properties of Au/Co/Ni <sub>80</sub> Fe <sub>20</sub> /Co/Au layered structures	417
K. Smardz, L. Smardz, I. Okońska, M. Jurczyk, Surface segregation effect in nanocrystalline Mg-Ni alloys and composites	423

A. Stupakiewicz, A. Maziewski, P. Trzciński, L.T. Baczewski, A. Wawro, R. Kalinowski, In-plane magnetic anisotropy symmetry in ultrathin Co films grown on sapphire substrates	429
D. Krychowski, S. Lipiński, Aharonov–Bohm interferometry with the T-shaped capacitively coupled quantum dots in the orbital Kondo regime	435
L. Smardz, H. Niedoba, K. Smardz, Magnetic domains studies in strongly and weakly exchange coupled Co/NiO bilayers	441
T. Balcerzak, Field-induced magnetization of a free-electron gas in thin films	447
M. Kowalik, I. Weymann, J. Barnaś, Current-induced torque in ferromagnetic single-electron devices in the limits of the fast and slow spin relaxation	453
K. I. Wysokiński, Transport in nanostructures. Recent developments	459
J. Wiśniewska, J. Barnaś, Electronic transport in a ferromagnetic single-electron transistor with non-collinear magnetizations in the co-tunnelling regime	467
M. Puchalski, P. Dąbrowski, W. Olejniczak, P. Krukowski, P. Kowalczyk, K. Polański, The study of silver nanoparticles by scanning electron microscopy, energy dispersive X-ray analysis and scanning tunnelling microscopy	473
M. Sidowski, S. Robaszkiewicz, Phase diagrams and properties of the ground state of the anisotropic Kondo lattice model	479
W. R. Czar, S. Robaszkiewicz, Properties of extended Hubbard models with anisotropic spin-exchange interaction	485
Z. Bąk, Fracton oscillations in the net fractals	491
J. Kłos, The effect of electron–electron interactions on the conditions of existence of a surface state	497
M. Misiorny, J. Barnaś, Spin reversal processes in a single molecular magnet between two ferromagnetic leads	505
A. Szajek, Electronic structure of $U_5Ge_4$	513
K. Walczak, Polaronic transport through molecular quantum dots. Charging-induced NDR and rectification	519
A. Wronka, First principle calculations of zinc blende superlattice surfaces and multilayers with ferromagnetic dopants	527
P. Wiśniewski, Z. Henkie, Prospect for research on spintronics of $U_3As_4$ ferromagnet and its semiconducting Th derivatives	533
K. V. Tretiakov, K.W. Wojciechowski, Poisson’s ratio of a soft sphere system	541
P. Trocha, J. Barnaś, Interference and Coulomb correlation effects in spin-polarized transport through coupled quantum dots	545
A. Jezierski, P. Kowalewski, J. Dubowik, Role of the magnetic impurities in $Ni_2Ti_{1-x}Mn_xSn$ Heusler type alloys. Ab-initio calculations	553
T. Szumiata, M. Gzik-Szumiata, K. Brzózka, Modelling of thermomagnetic curves obtained with Mössbauer spectrometry for two-phase nanocrystalline alloys	559
G. Pawłowski, Quantum spin system with on-site exchange in a magnetic field	565
M. Gmitra, J. Barnaś, D. Horváth, Precessional modes due to spin-transfer in spin-valve nanopillars	571
M. Sidowski, K. Walczak, Polaronic transport through DNA molecules	577
J. Dubowik, I. Gościańska, A. Szlaferek, Y. V. Kudryavtsev, Films of Heusler alloys	583
P. Wandziuk, T. Luciński, B. Andrzejewski, Magnetic and transport properties of Fe/Si multilayers with various iron thicknesses	599

### No. 3

S. Yilmaz, V. Gunay, Crystallization kinetics of $SiO_2$ – $MgO$ – $3CaO$ – $P_2O_5$ – $Al_2O_3$ – $ZrO_2$ glass	609
Y. S. Reddy, M.V. Ramana Reddy, P. Veerasomaiah, C. Vishnuvardhan Reddy, Elastic properties of double layered manganite $La_{1.2}Sr_{1.8-x}Ca_xMn_2O_7$ ( $x = 0.0$ – $0.4$ )	619

- G. Skripkiūnas, V. Sasnauskas, M. Daukšys, D. Palubinskaite, Peculiarities of hydration of cement paste with addition of hydrosodalite 627
- A. Balandis, A. Traidaraite, The influence of Al containing component on synthesis of analcime of various crystallographic systems 637
- R. C. Cherian, C.S. Menon, Effect of annealing and  $\gamma$  irradiation on tin phthalocyanine thin films 649
- R. Dewi, N. I. Baa'yah, I. A. Talib, The effect of spin coating rate on the microstructure, grain size, surface roughness and thickness of  $\text{Ba}_{0.6}\text{Sr}_{0.4}\text{TiO}_3$  thin film prepared by the sol-gel process 657
- K. Baltakys, R. Jauberthie, R. Siauciunas, R. Kaminskas, Influence of modification of  $\text{SiO}_2$  on the formation of calcium silicate hydrate 663
- K. Muthukkumaran, P. Kuppusami, T. Mathews, E. Mohandas, S. Selladurai, Atomic force microscopy investigations of gadolinia doped ceria thin films prepared by pulsed laser deposition technique 671
- L. Stobiński, J. Mazurkiewicz, P. Tomasik, J. Peszke, H.M. Lin, Simulated geometry of open-end single-wall carbon nanotubes with adsorbed long-chain normal alkanes and resulting implications 679
- M. A. Miśkiewicz, H. Matysiak, K. J. Kurzydłowski, Finite element method modelling of the properties of a Cu–SiC composite under cyclic loading conditions 687
- J. Li, F. Chen, Q. Shen, H. Jiang, L. Zhang, Fabrication and dielectric properties of  $\text{Si}_3\text{N}_4$ – $\text{MgO}$ – $\text{Al}_2\text{O}_3$  by spark plasma sintering technique 699
- S. Ilican, M. Caglar, Y. Caglar, Determination of the thickness and optical constants of transparent indium-doped ZnO thin films by the envelope method 709
- B. Shahbahrami, R. Sarraf Maamoori, N. Ehsani, Self-spreading high-temperature synthesis of  $\text{TiB}_2$  powder 719
- V. C. Srivastava, K. L. Sahoo, Processing, stabilization and applications of metallic foams. Art of science 733
- S. Cizauskaite, V. Reichlova, G. Nenartaviciene, A. Beganskiene, J. Pinkas, A. Kareiva, Sol-gel preparation and characterization of perovskite gadolinium aluminates 755
- D. Wencel, C. Higgins, A. Klukowska, B. D. MacCraith, C. McDonagh, Novel sol-gel derived films for luminescence-based oxygen and pH sensing 767
- R. Zachariasz, A. Zarycka, J. Ilczuk, Determination of the lead titanate zirconate phase diagram by the measurement of the internal friction and Young's modulus 781
- B. Wodecka-Duś, A. Lisińska-Czekaj, T. Orkisz, M. Adamczyk, K. Osińska, L. Kozielski, D. Czekaj, The sol-gel synthesis of barium strontium titanate ceramics 791
- A. Zarycka, B. Bruś, J. Rymarczyk, J. Ilczuk, Phenomena responsible for energy dissipation in fine-grained PZT-type ceramics 801
- A. Vomvas, K. Pomoni, C. Trapalis, N. Todorova, Photoconductivity in sol-gel  $\text{TiO}_2$  thin films with and without ammonia treatment 809
- A. Beganskiene, S. Sakirzanovas, I. Kazadojev, A. Melninkaitis, V. Sirutkaitis, A. Kareiva, Sol-gel derived antireflective coating with controlled thickness and reflective index 817
- O. B. Pavlova-Verevkina, S.N. Chvalun, Yu. A. Shevchuk, L.A. Ozerina, A.N. Ozerin, Preparation and structure of stable dispersions of uniform  $\text{TiO}_2$  nanoparticles 825
- B. Korusiewicz, K. Maruszewski, Organization of silica spherical particles into different shapes on silicon substrates 835
- P. Chen, L. Hu, X. Zhang, D. Sun, Enhanced corrosion resistance for silsesquioxane coatings by diglycidyl ether of biphenol A 843
- M. Kaczmarek, K. Kazimierska-Drobny, Identification problem of interface boundary conditions for diffusive transport between water and silica hydrogel 851
- A. Łukowiak, K. Kozłowska, K. Urbański, A. Szczurek, K. Dudek, K. Maruszewski, Application of an artificial neural network in the processing of output signals from a gas sensor with sol-gel-derived  $\text{TiO}_2$  film 861

A. Zarycka, B. Bruś, J. Ilczuk, M. Czerwec, M. Dukat, The internal friction background in PZT ceramics obtained by the sol-gel method	869
V. da Rocha Caffarena, T. Ogasawara, M. S. Pinho, J. L. Leixas Capitaneo, Synthesis and characterization of nanocrystalline $\text{Ba}_3\text{Co}_{0.9}\text{Cu}_{1.1}\text{Fe}_{24}\text{O}_{41}$ powder and its application in the reduction of radar cross-section	875
S. Simonetti, A. Juan, G. Brizuela, Computational study of the C–C interaction in the <i>bcc</i> Fe(001) inner plane containing a vacancy	885
B. Mazurek, L. Moron, Polarization spectra analysis for the investigation of space charge in dielectric nanocomposites	899

#### No. 4

P. K. Biju, M.N. Radhakrishnan Nair, G.V. Thomas, M.R. Gopinathan Nair, Plasticizing effect of epoxidized natural rubber on PVC/ELNR blends prepared by solution blending	919
V. Krylova, Spectroscopic and diffraction studies of chemical deposition of copper sulfide films on polyamide surface using potassium pentathionate	933
D. W. Zhou, J. Zhang, P. Peng, J.S. Liu, Alloying effects on the energy and electronic structures of vanadium hydrides	947
S. Tanriverdi, B. Mavis, G. Gündüz, Ü. Çolak, Electrospinning and characterization of alumina borosilicate ceramic nanofibres	957
Y. -H. Lee, K.-S. Hwang, Preparation of lithium zirconate nanopowder prepared by electrostatic spraying for $\text{CO}_2$ sorbent	969
G. Qinlin, X. Cheng, Nanotribological characteristics of lanthanum-based thin films on phosphorylated 3-aminopropyltriethoxysilane self-assembled monolayers	977
M. Kulczyk, W. Pachla, A. Mazur, M. Suś-Ryszkowska, N. Krasilnikov, K.J. Kurzydłowski, Producing bulk nanocrystalline materials by combined hydrostatic extrusion and equal-channel angular pressing	991
R. Gong, Y. He, X. Li, C. Liu, X. Wang, Study on absorption and mechanical properties of rubber sheet absorbers	1001
G. Ionita, C. Ghica, P. Ionita, Probing cellulose wettability by electron paramagnetic resonance	1011
S. M. Rabiee, F. Moztafzadeh, H.S. Kenari, M. Solati-Hashjin, Preparation and properties of a porous calcium phosphate bone graft substitute	1019
M. Edrissi, R. Norouzbeigi, Synthesis and characterization of alumina nanopowders by combustion of nitrate-amino acid gels	1029
K. Kledzik, M. Jamrógiewicz, M. Gwiazda, E. Wagner-Wysiecka, J. Jezierska, J.F. Biernat, A.M. Klonkowski, Optical recognition elements. Macrocyclic imidazole chromoionophores entrapped in silica xerogel	1041
W. Skoneczny, M. Bara, Aluminium oxide composite layers obtained by the electrochemical method in the presence of graphite	1053
B. Żurowska, J. Mroziński, J. Ochocki, Coordination properties of the diethyl 2-quinolilmethylphosphonate ligand with chloride and nitrate transition-metal salts	1063
R. V. Mangalaraja, K.V.S. Ramam, J. Ravi, C.P. Camurri, Microwave-flash combustion synthesis of yttria nanopowders	1075
J. Sosnowski, Analysis of the pinning interaction in high-temperature superconductors	1081
K. Baltakys, R. Siauciunas, Formation of gyrolite in the $\text{CaO}$ –quartz– $\text{Na}_2\text{O}$ – $\text{H}_2\text{O}$ system	1089
C. Wang, S. Hao, F. Shi, J. Qi, Y. Tao, B. Wang, Interactions of high current pulsed electron beam with phosphate laser glass	1101

- M. R. Vaezi, A. Esmailzadeh Kandjani, L. Nikzad, N.A. Arefian, S. Alibeigi, M. Farzalipour Tabriz, S.H. Mir Shah Ghassemi, J. Samei, Synthesis of  $Zn_2TiO_4$  and  $ZnTiO_3$  nanocomposites by the CBD method 1109
- L. -L. Gao, X.-H. Cheng, Grain refinement and mechanical properties of Cu–Al 10%– Fe 4% alloy produced by ECAE 1119
- S. Jana, B. Karmakar, P. Kundu, Unusual visible absorption in high PbO lead borate glass 1127
- K. Yildiz, N. Karakuş, N. Toplan, H.Ö. Toplan, Densification and grain growth of  $TiO_2$ -doped ZnO 1135
- B. Zhao, Y. Wang, H. Guo, J. Wang, Y. He, Z. Jiao, M. Wu, Iron oxide(III) nanoparticles fabricated by electron beam irradiation method 1143
- S. J. Royae, M. Sohrabi, C. Falamaki, Methanol dehydration to dimethyl ether using modified clinoptilolite 1149
- T. Abbas, M. Ullah, A.M. Rana, R.M. Arif Khalil, Calculation of short range order in Ni–Rh, Ni–Pd and Cu–Rh alloys 1161
- G. D. Sharma, V.S. Choudhary, Y. Janu, M.S. Roy, Mechanism of charge generation and photo-voltaic effects in lead phthalocyanine based Schottky barrier 1173

**II Workshop “Hybrid Nanostructured Materials. Synthesis, Properties, Applications”,  
Dresden, Germany, 8–9 November, 2006**

- A. Elsner, H. Hermann, Computer simulation and optimization of properties of porous low- $k$  dielectrics 1193
- K. Zagorodniy, H. Hermann, M. Taut, Molecular design of ultralow- $k$  insulator materials 1203
- B. Schmidt, K.-H. Heinig, L. Röntzsch, K.-H. Stegemann, Nanocluster memories by ion beam synthesis of Si in  $SiO_2$  1213

**Conference of the Scientific Network “New Materials for Magnetoelectronics  
– MAG-EL-MAT 2007”, Będlewo near Poznań, 7–10 May 2007**

- A. Go, M. Pugaczowa-Michalska, L. Dobrzyński, *Ab initio* study of ordering degree in  $Fe_3Si$  doped with Mn 1223
- Ł. Wasylkiewicz, A. Jezierski, A. Szytuła, B. Penc, Electronic properties of  $LaNiIn$  doped with hydrogen 1229
- M. Misiorny, J. Barnaś, Current-induced switching of a single-molecule magnet with an arbitrary oriented easy axis 1235
- P. Stefański, Two-level quantum dot in the Aharonov–Bohm ring. Towards understanding “phase lapse” 1243
- A. Szajek, I. Okońska, M. Jurczyk, Electronic and electrochemical properties of  $Mg_2Ni$  alloy doped by Pd atoms 1251
- B. Andrzejewski, E. Guilmeau, A. Kowalczyk, A. Szlaferek, New superconducting phases in  $Mo_2Re_3B_x$ – $Mo_3Re_2B_x$  eutectic 1259
- M. Szlawska, A. Pikul, D. Kaczorowski, Ferromagnetic and spin-glass properties of single-crystalline  $U_2NiSi_3$  1267
- B. Szymański, M. Urbaniak, F. Stobiecki, Magnetic and magnetoresistive properties of CoFe/Au/Co/Au multilayered structures 1275
- J. Dubowik, I. Gościańska, Y.V. Kudryavtsev, V.A. Oksenenko, Structure and magnetism of  $Co_2CrAl$  Heusler alloy films 1281
- P. Mazalski, I. Sveklo, M. Tekielak, A. Kolendo, A. Maziewski, P. Kuświk, B. Szymański, F. Stobiecki, Magnetic properties of  $(Co/Au)_N$  multilayers with various numbers of repetition  $N$  1289



### Author Index\*

Aaltonen A. see Borak B.	167/1
Abbas T., Ullah M., Rana A.M., Arif Khalil R.M., Calculation of short range order in Ni–Rh, Ni–Pd and Cu–Rh alloys	1161/4
Adamczyk M. see Wodecka-Duś B.	791/3
Adelung R. see Pannemann C.	95/1
Aleksiejew J. see Załęski K.	417/2
Al-Haidary J.T., Jabur Al-Kaaby A.S., Evaluation study of cast Al–SiC <sub>p</sub> composites	155/1
Alibeigi S. see Vaezi M.R.	1109/4
Andrzejewski B. see Wandziuk P.	599/2
Andrzejewski B., Guilmeau E., Kowalczyk A., Szlaferek A., New superconducting phases in Mo <sub>2</sub> Re <sub>3</sub> B <sub>4</sub> –Mo <sub>3</sub> Re <sub>2</sub> B <sub>4</sub> eutectic	1259/4
Antonov V.N. see Uba L.	383/2
Arefian N.A. see Vaezi M.R.	1109/4
Arif Khalil R.M. see Abbas T.	1161/4
Atesang J. see Zhu L.	19/1
Baa'yah N.I. see Dewi R.	657/3
Baczewski L.T. see Dobrogowski W.	405/2
Baczewski L.T. see Stupakiewicz A.	429/2
Bąk Z., Fracton oscillations in the net fractals	491/2
Balandis A., Traidaraite A., The influence of Al containing component on synthesis of analcime of various crystallographic systems	637/3
Balcerzak T., Field-induced magnetization of a free-electron gas in thin films	447/2
Balkevičius V., Christauskas J., Gailius A., Špokauskas A., Siaurys V., Analysis of some properties of model system from low-melting illite clay and fibrous mineral wool waste	209/1
Baltakys K., Jauberthie R., Siauciunas R., Kaminskas R., Influence of modification of SiO <sub>2</sub> on the formation of calcium silicate hydrate	663/3
Baltakys K., Siauciunas R., The influence of $\gamma$ -Al <sub>2</sub> O <sub>3</sub> and Na <sub>2</sub> O on the formation of calcium silicate hydrates in the CaO–quartz–H <sub>2</sub> O system	185/1
Baltakys K., Siauciunas R., Formation of gyrolite in the CaO–quartz–Na <sub>2</sub> O–H <sub>2</sub> O system	1089/4
Bara M. see Skoneczny W.	1053/4
Barnaś J. see Gmitra M.	571/2
Barnaś J. see Kowalik M.	453/2
Barnaś J. see Misiorny M.	505/2
Barnaś J. see Misiorny M.	1235/4
Barnaś J. see Susła B.	305/2
Barnaś J. see Trocha P.	545/2
Barnaś J. see Wiśniewska J.	467/2
Baszczuk A. see Borak B.	167/1
Beganskiene A., Sakirzanovas S., Kazadojev I., Melninkaitis A., Sirutkaitis V., Kareiva A., Sol-gel derived antireflective coating with controlled thickness and reflective index	817/3
Beganskiene A. see Cizauskaite S.	755/3
Benmohamed Z., Remram M., Effect of dislocation density on the efficiency of multicrystalline silicon solar cells	243/1

---

\*Page number/Issue number.

Betlińska A. see Kwiecień M.	411/2
Bhardwaj P., Shishodia P.K., Mehra R.M., Photoinduced degradation in the electrical properties of normally and obliquely deposited As <sub>2</sub> Se <sub>3</sub> thin films	69/1
Biernat J.F. see Kledzik K.	1041/4
Biju P.K., Radhakrishnan Nair M.N., Thomas G.V., Gopinathan Nair M.R., Plasticizing effect of epoxidized natural rubber on PVC/ELNR blends prepared by solution blending	919/4
Borak B., Laskowski S., Heczko O., Aaltonen A., Baszczuk A., Jasiorski M., Söderberg O., Mazurek B., Oja M., Hannula S-P., Maruszewski K., Submicron-sized hybrid SiO <sub>2</sub> -Ni powders produced with the sol-gel method	167/1
Brizuela G. see Simonetti S.	885/3
Bruś B. see Zarycka A.	801/3
Bruś B. see Zarycka A.	869/3
Brzózka K. see Szumiata T.	559/2
Caglar M. see Ilıcan S.	709/3
Camurri C.P. see Mangalaraja R.V.	1075/4
Chełkowska G. see Falkowski M.	321/2
Chełkowska G. see Kwiecień M.	411/2
Chen F. see Li J.	699/3
Chen P., Hu L., Zhang X., Sun D., Enhanced corrosion resistance for silsesquioxane coatings by diglycidyl ether of biphenol A	843/3
Cheng X.-L. see Gao L.-L.	1119/4
Cheng X. see Li J.	85/1
Cheng X. see Qinlin G.	977/4
Cherian R.C., Menon C.S., Effect of annealing and $\gamma$ irradiation on tin phthalocyanine thin films	649/3
Choudhary V.S. see Sharma G.D.	1173/4
Christauskas J. see Balkevičius V.	209/1
Chvalun S.N. see Pavlova-Verevkina O.B.	825/3
Cizauskaite S., Reichlova V., Nenartaviciene G., Beganskiene A., Pinkas J., Kareiva A., Sol-gel preparation and characterization of perovskite gadolinium aluminates	755/3
Çolak Ü. see Tanriverdi S.	957/4
Czart W.R., Robaszkiewicz S., Properties of extended Hubbard models with anisotropic spin-exchange interaction	485/2
Czekaj D. see Wodecka-Duś B.	791/3
Czerwec M. see Zarycka A.	869/3
Daukšys M. see Skripiūnas G.	627/3
Dąbrowski P. see Puchalski M.	473/2
Dewi R., Baa'yah N.I., Talib I.A., The effect of spin coating rate on the microstructure, grain size, surface roughness and thickness of Ba <sub>0.6</sub> Sr <sub>0.4</sub> TiO <sub>3</sub> thin film prepared by the sol-gel process	657/3
Diekmann T. see Pannemann C.	95/1
Dobrogowski W., Kurant Z., Nedźwiedz A., Stefanowicz W., Tekielak M., Baczewski L.T., Wawro A., Maziewski A., Image processing study of ultrathin cobalt domain structure evolution induced by overlayer structure	405/2
Dobrowolski W. see Wosiński T.	351/2
Dobrzyński L. see Go A.	1223/4
Dobrzyński L. see Szymański K.	363/2
Domuchowski V. see Knoff W.	295/2
Dubowik J., Gościańska I., Kudryavtsev Y.V., Oksenenko V.A., Structure and magnetism of Co <sub>2</sub> CrAl Heusler alloy films	1281/4
Dubowik J., Gościańska I., Szlaferek A., Kudryavtsev Y.V., Films of Heusler alloys	583/2
Dubowik J. see Jezierski A.	553/2

Dudek K. see Łukowiak A.	861/3
Dudek P. see Zhu L.	19/1
Dukat M. see Zarycka A.	869/3
Dziawa P. see Knoff W.	295/2
Dziawa P., Orłowski B.A., Osinniy V., Pietrzyk M., Taliashvili B., Story T., Johnson R.L., Photoemission study of Eu 2+/3+ ions in ferromagnetic (Eu,Gd)Te semiconductor layers	377/2
Edrissi M., Norouzbeigi R., Synthesis and characterization of alumina nanopowders by combustion of nitrate-amino acid gels	1029/4
Ehsani N. see Shahbahrami B.	719/3
Elsner A., Hermann H., Computer simulation and optimization of properties of porous low- $k$ dielectrics	1193/4
Esmailzadeh Kandjani A. see Vaezi M.R.	1109/4
Falamaki C. see Royae S.J.	1149/4
Fałat T. see Felba J.	45/1
Falkowski M., Kowalczyk A., Toliński T., Chełkowska G., Electronic properties of CeNi <sub>4</sub> Si compound	321/2
Farsani R.E., Raissi S., Shokuhfar A., Sedghi A., Optimisation of carbon fibres made from commercial polyacrylonitrile fibres using the screening design method	113/1
Faupel F. see Pannemann C.	95/1
Felba J., Fałat T., Wymysłowski A., Influence of thermo-mechanical properties of polymer matrices on the thermal conductivity of adhesives for microelectronic packaging	45/1
Figielski T. see Wosiński T.	351/2
Gailius A. see Balkevičius V.	209/1
Gamrat K. see Wieczorek-Ciurowa K.	219/1
Gamża M., Schnelle W., Ślebarski A., Rosner H., Electronic structure of CeRh <sub>2</sub> Sn <sub>4</sub>	269/2
Gao L.-L., Cheng X.-H, Grain refinement and mechanical properties of Cu–Al 10%– Fe 4% alloy produced by ECAE	1119/4
Geer R. see Zhu L.	19/1
Geisler H. see Hecker M.	7/1
Geisler H. see Zhu L.	19/1
Ghica C. see Ionita G.	1011/4
Gmitra M., Barnaś J., Horváth D., Precessional modes due to spin-transfer in spin-valve nanopillars	571/2
Go A., Pugaczowa-Michalska M., Dobrzyński L., <i>Ab initio</i> study of ordering degree in Fe <sub>3</sub> Si doped with Mn	1223/4
Gong R., He Y., Li X., Liu C., Wang X., Study on absorption and mechanical properties of rubber sheet absorbers	1001/4
Gopinathan Nair M.R. see Biju P.K.	919/4
Goraus J., Ślebarski A., Electronic structure of Fe <sub>2</sub> VGa	359/2
Gościańska I. see Dubowik J.	1281/4
Gościańska I. see Dubowik J.	583/2
Guilmeau E. see Andrzejewski B.	1259/4
Gunay V. see Yılmaz S.	609/3
Gündüz G. see Tanrıverdi S.	957/4
Guo H. see Zhao B.	1143/4
Guo J. see Wang Y.	199/1
Gwiazda M. see Kledzik K.	1041/4
Gzik-Szumiata M. see Szumiata T.	559/2
Hannula S-P. see Borak B.	167/1
Hao S. see Wang C.	1101/4
He Y. see Gong R.	1001/4

He Y. see Zhao B.	1143/4
Hecker M. see Zhu L.	19/1
Hecker M., Geisler H., Strain state in silicon structures for microprocessor technology	7/1
Heczko O. see Borak B.	167/1
Heinig K.-H. see Schmidt B.	1213/4
Henkie Z. see Wiśniewski P.	533/2
Hermann H. see Elsner A.	1193/4
Hermann H. see Zagorodniy K.	1203/4
Herr U. see Zhu L.	19/1
Higgins C. see Wencel D.	767/3
Hilleringmann U. see Pannemann C.	95/1
Hofmeister W. see Klimczak M.	263/2
Horváth D. see Gmitra M.	571/2
Hu L. see Chen P.	843/3
Hwang K.-S. see Lee Y.-H.	969/4
Ilczuk J. see Zachariasz R.	781/3
Ilczuk J. see Zarycka A.	801/3
Ilczuk J. see Zarycka A.	869/3
Ilican S., Caglar M., Caglar Y., Determination of the thickness and optical constants of transparent indium-doped ZnO thin films by the envelope method	709/3
Ionita G., Ghica C., Ionita P., Probing cellulose wettability by electron paramagnetic resonance	1011/4
Ionita P. see Ionita G.	1011/4
Jabur Al-Kaaby A.S. see Al-Haidary J.T.	155/1
Jain A., Sagar P., Mehra R.M., Changes of structural, optical and electrical properties of sol-gel derived ZnO films with their thickness	233/1
Jamrógiewicz M. see Kledzik K.	1041/4
Jana S., Karmakar B., Kundu P., Unusual visible absorption in high PbO lead borate glass	1127/4
Janu Y. see Sharma G.D.	1173/4
Jarmulska J. see Tran V.H.	327/2
Jasiorski M. see Borak B.	167/1
Jaubertie R. see Baltakys K.	663/3
Jeziarska J. see Kledzik K.	1041/4
Jeziarski A. see Wasylkowicz Ł.	1229/4
Jeziarski A., Kowalewski P., Dubowik J., Role of the magnetic impurities in $Ni_2Ti_{1-x}Mn_xSn$ Heusler type alloys. Ab-initio calculations	553/2
Jiang H. see Li J.	699/3
Jiao Z. see Zhao B.	1143/4
Johnson R.L. see Dziawa P.	377/2
Juan A. see Simonetti S.	885/3
Jurczyk M. see Smardz K.	423/2
Jurczyk M. see Szajek A.	1251/4
Kaczmarek M., Kazimierska-Drobny K., Identification problem of interface boundary conditions for diffusive transport between water and silica hydrogel	851/3
Kaczorowski D. see Szlawska M.	1267/4
Kalinowski R. see Stupakiewicz A.	429/2
Kaminskas R. see Baltakys K.	663/3
Karakuş N. see Yildiz K.	1135/4
Kareiva A. see Beganskiene A.	817/3
Kareiva A. see Cizauskaite S.	755/3
Karmakar B. see Jana S.	1127/4

Kazadojev I. see Beganskiene A.	817/3
Kazimierska-Drobny K. see Kaczmarek M.	851/3
Kaźmierczak J. see Lipert K.	399/2
Kenari H.S. see Rabiee S.M.	1019/4
Kledzik K., Jamrógiewicz M., Gwiazda M., Wagner-Wysiecka E., Jezierska J., Biernat J.F., Klonkowski A.M., Optical recognition elements. Macrocyclic imidazole chromoionophores entrapped in silica xerogel	1041/4
Klimczak M., Talik E., Kusz J., Hofmeister W., Winiarski A., Troć R., Magnetic properties of Dy <sub>3</sub> Pd <sub>2</sub> single crystal	263/2
Klonkowski A.M. see Kledzik K.	1041/4
Kłos J., The effect of electron–electron interactions on the conditions of existence of a surface state	497/2
Klukowska A. see Wencel D.	767/3
Klusek Z., Nanotechnology. Science or fiction?	283/2
Knoff W., Dziawa P., Osinniy V., Taliashvili B., Domuchowski V., Łusakowska E., Świątek K., Story T., Ferromagnetic transition in Ge <sub>1-x</sub> Mn <sub>x</sub> Te semiconductor layers	295/2
Kolendo A. see Mazalski P.	1289/4
Kondrat A. see Miiller W.	391/2
Korusiewicz B., Maruszewski K., Organization of silica spherical particles into different shapes on silicon substrates	835/3
Kowalczyk A. see Andrzejewski B.	1259/4
Kowalczyk A. see Falkowski M.	321/2
Kowalczyk P. see Puchalski M.	473/2
Kowalewski P. see Jezierska A.	553/2
Kowalik M., Weymann I., Barnaś J., Current-induced torque in ferromagnetic single-electron devices in the limits of the fast and slow spin relaxation	453/2
Kozielski L. see Wodecka-Duś B.	791/3
Kozłowska K. see Łukowiak A.	861/3
Krasilnikov N. see Kulczyk M.	991/4
Krukowski P. see Puchalski M.	473/2
Krychowski D., Lipiński S., Aharonov–Bohm interferometry with the T-shaped capacitively coupled quantum dots in the orbital Kondo regime	435/2
Krylova V., Spectroscopic and diffraction studies of chemical deposition of copper sulfide films on polyamide surface using potassium pentathionate	933/4
Kuc D. see Niewielski G.	79/1
Kudryavtsev Y.V. see Dubowik J.	1281/4
Kudryavtsev Y.V. see Dubowik J.	583/2
Kulczyk M., Pachla W., Mazur A., Suś-Ryszkowska M., Krasilnikov N., Kurzydłowski K.J., Producing bulk nanocrystalline materials by combined hydrostatic extrusion and equal- channel angular pressing	991/4
Kundu P. see Jana S.	1127/4
Kuppusami P. see Muthukkumaran K.	671/3
Kurant Z. see Dobrogowski W.	405/2
Kurzydłowski K.J. see Kulczyk M.	991/4
Kurzydłowski K.J. see Miśkiewicz M.A.	687/3
Küstern K.-H. see Mikolajick T.	33/1
Kuświk P. see Mazalski P.	1289/4
Kusz J. see Klimczak M.	263/2
Kwiecień M., Chełkowska G., Betlińska A., Electronic structure and electric properties of Gd(In <sub>1-x</sub> Sn <sub>x</sub> ) <sub>3</sub> compounds	411/2

Lachowicz H.K. see Lipert K.	399/2
Laskowski S. see Borak B.	167/1
Lee Y.-H., Hwang K.-S., Preparation of lithium zirconate nanopowder prepared by electrostatic spraying for CO <sub>2</sub> sorbent	969/4
Leixas Capitaneo J.L. see Rocha Caffarena da V.	875/3
Leschynsky V., Weinert H., Szlaferek A., Layered alloys for effective magnetic flux concentration in induction heating	275/2
Li J., Chen F., Shen Q., Jiang H., Zhang L., Fabrication and dielectric properties of Si <sub>3</sub> N <sub>4</sub> -MgO-Al <sub>2</sub> O <sub>3</sub> by spark plasma sintering technique	699/3
Li J., Cheng X., Effect of lanthanum on the tensile properties of carbon-fibre reinforced thermoplastic polyimide composites	85/1
Li X. see Gong R.	1001/4
Lin H.M. see Stobiński L.	679/3
Lipert K., Kaźmierczak J., Pelech I., Narkiewicz U., Ślawska-Waniewska A., Lachowicz H.K., Magnetic properties of cementite (Fe <sub>3</sub> C) nanoparticle agglomerates in a carbon matrix	399/2
Lipiński S. see Krychowski D.	435/2
Lisińska-Czekaj A. see Wodecka-Duś B.	791/3
Liu C. see Gong R.	1001/4
Liu J.S. see Zhou D.W.	145/1
Liu J.S. see Zhou D.W.	947/4
Luciński T. see Uba L.	383/2
Luciński T. see Wandziuk P.	599/2
Łukowiak A., Kozłowska K., Urbański K., Szczurek A., Dudek K., Maruszewski K., Application of an artificial neural network in the processing of output signals from a gas sensor with sol-gel-derived TiO <sub>2</sub> film	861/3
Łusakowska E. see Knoff W.	295/2
MacCraith B.D. see Wencel D.	767/3
Mahendra K.V., Radhakrishna K., Fabrication of Al-4.5% Cu alloy with fly ash metal matrix composites and its characterization	57/1
Mangalaraja R.V., Ramam K.V.S., Ravi J., Camurri C.P., Microwave-flash combustion synthesis of yttria nanopowders	1075/4
Maruszewski K. see Borak B.	167/1
Maruszewski K. see Korusiewicz B.	835/3
Maruszewski K. see Łukowiak A.	861/3
Mathews T. see Muthukkumaran K.	671/3
Matysiak H. see Miśkiewicz M.A.	687/3
Mavis B. see Tanrıverdi S.	957/4
Mazalski P., Sveklo I., Tekielak M., Kolendo A., Maziewski A., Kuświk P., Szymański B., Stobiecki F., Magnetic properties of (Co/Au) <sub>N</sub> multilayers with various numbers of repetition <i>N</i>	1289/4
Maziewski A. see Dobrogowski W.	405/2
Maziewski A. see Mazalski P.	1289/4
Maziewski A. see Stupakiewicz A.	429/2
Mazur A. see Kulczyk M.	991/4
Mazurek B. see Borak B.	167/1
Mazurek B., Moron L., Polarization spectra analysis for the investigation of space charge in dielectric nanocomposites	899/3
Mazurkiewicz J. see Stobiński L.	679/3
Mąkosa A. see Wosiński T.	351/2
McDonagh C. see Wencel D.	767/3
Mehra R.M. see Bhardwaj P.	69/1

Mehra R.M. see Jain A.	233/1
Mehra R.M. see Suri P.	137/1
Melninkaitis A. see Beganskiene A.	817/3
Menon C.S. see Cherian R.C.	649/3
Menon C.S. see Samuel M.	177/1
Miiller W. see Tran V.H.	327/2
Miiller W., Tran V.H., Kondrat A., Magnetic phase diagram of the URh <sub>1-x</sub> Ru <sub>x</sub> Ge system	391/2
Mikolajick T., Nagel N., Riedel S., Mueller T., Küsters K.-H., Scaling of nonvolatile memories to nanoscale feature sizes	33/1
Miniuk E. see Uba L.	383/2
Misiorny M., Barnaś J., Current-induced switching of a single-molecule magnet with an arbitrary oriented easy axis	1235/4
Misiorny M., Barnaś J., Spin reversal processes in a single molecular magnet between two ferromagnetic leads	505/2
Miśkiewicz M.A., Matysiak H., Kurzydłowski K.J., Finite element method modelling of the properties of a Cu–SiC composite under cyclic loading conditions	687/3
Mohandas E. see Muthukkumaran K.	671/3
Morawski A. see Wosiński T.	351/2
Moron L. see Mazurek B.	889/3
Moztarzadeh F. see Rabiee S.M.	1019/4
Mroziński J. see Żurowska B.	1063/4
Mueller T. see Mikolajick T.	33/1
Muthukkumaran K., Kuppusami P., Mathews T., Mohandas E., Selladurai S., Atomic force microscopy investigations of gadolinia doped ceria thin films prepared by pulsed laser deposition technique	671/3
Nagel N. see Mikolajick T.	33/1
Narkiewicz U. see Lipert K.	399/2
Nawrocki W. see Susła B.	305/2
Nedźwiedź A. see Dobrogowski W.	405/2
Nenartaviciene G. see Cizauskaite S.	755/3
Niedoba H. see Smardz L.	441/2
Niewielski G., Kuc D., Rodak K., Microstructure of austenitic steel after the oscillatory compression test	79/1
Nikzad L. see Vaezi M.R.	1109/4
Norouzbeigi R. see Edrissi M.	1029/4
Ochocki J. see Żurowska B.	1063/4
Ogasawara T. see Rocha Caffarena da V.	875/3
Oja M. see Borak B.	167/1
Okońska I. see Smardz K.	423/2
Okońska I. see Szajek A.	1251/4
Oksenenko V.A. see Dubowik J.	1281/4
Olejniczak W. see Puchalski M.	473/2
Olszewski W. see Szymański K.	363/2
Orkisz T. see Wodecka-Duś B.	791/3
Orłowski B.A. see Dziawa P.	377/2
Osinniy V. see Dziawa P.	377/2
Osinniy V. see Knoff W.	295/2
Osińska K. see Wodecka-Duś B.	791/3
Ozerin A.N. see Pavlova-Verevkina O.B.	825/3
Ozerina L.A. see Pavlova-Verevkina O.B.	825/3

Pachla W. see Kulczyk M.	991/4
Palubinskaite D. see Skripkiūnas G.	627/3
Pannemann C., Diekmann T., Hilleringmann U., Schürmann U., Scharnberg M., Zaporojtchenko V., Adelung R., Faupel F., PTFE encapsulation for pentacene based organic thin film transistors	95/1
Panwar M. see Suri P.	137/1
Pavlova-Verevkin O.B., Chvalun S.N., Shevchuk Yu.A., Ozerina L.A., Ozerin A.N., Preparation and structure of stable dispersions of uniform TiO <sub>2</sub> nanoparticles	825/3
Pawłowski G., Quantum spin system with on-site exchange in a magnetic field	565/2
Pelech I. see Lipert K.	399/2
Pelya O. see Wosiński T.	351/2
Penc B. see Wasylkiewicz L.	1229/4
Peng P. see Zhou D.W.	145/1
Peng P. see Zhou D.W.	947/4
Peszke J. see Stobiński L.	679/3
Pietrzyk M. see Dziawa P.	377/2
Pikul A. see Szlawska M.	1267/4
Pinho M.S. see Rocha Caffarena da V.	875/3
Pinkas J. see Cizauskaite S.	755/3
Polański K. see Puchalski M.	473/2
Polewko-Klim A. see Uba L.	383/2
Pomoni K. see Vomvas A.	809/3
Puchalski M., Dąbrowski P., Olejniczak W., Krukowski P., Kowalczyk P., Polański K., The study of silver nanoparticles by scanning electron microscopy, energy dispersive X-ray analysis and scanning tunnelling microscopy	473/2
Pugaczowa-Michalska M. see Go A.	1223/4
Qi J. see Wang C.	1101/4
Qinlin G., Cheng X., Nanotribological characteristics of lanthanum-based thin films on phosphorylated 3-aminopropyltriethoxysilane self-assembled monolayers	977/4
Rabiee S.M., Moztaaradeh F., Kenari H.S., Solati-Hashjin M., Preparation and properties of a porous calcium phosphate bone graft substitute	1019/4
Radhakrishna K. see Mahendra K.V.	57/1
Radhakrishnan Nair M.N. see Biju P.K.	919/4
Raissi S. see Farsani R.E.	113/1
Ramam K.V.S. see Mangalaraja R.V.	1075/4
Ramana Reddy M.V. see Reddy Y.S.	619/3
Rana A.M. see Abbas T.	1161/4
Ravi J. see Mangalaraja R.V.	1075/4
Reddy Y.S., Ramana Reddy M.V., Veerasomaiah P., Vishnuvardhan Reddy C., Elastic properties of double layered manganite La <sub>1.2</sub> Sr <sub>1.8-x</sub> Ca <sub>x</sub> Mn <sub>2</sub> O <sub>7</sub> (x = 0.0–0.4)	619/3
Reichlova V. see Cizauskaite S.	755/3
Remram M. see Benmohamed Z.	243/1
Riedel S. see Mikolajick T.	33/1
Rinderknecht J. see Zhu L.	19/1
Ritz Y. see Zhu L.	19/1
Robaszkiewicz S. see Czart W.R.	485/2
Robaszkiewicz S. see Sidowski M.	479/2
Rocha Caffarena da V., Ogasawara T., Pinho M.S., Leixas Capitaneo J.L., Synthesis and charac- terization of nanocrystalline Ba <sub>3</sub> Co <sub>0.9</sub> Cu <sub>1.1</sub> Fe <sub>24</sub> O <sub>41</sub> powder and its application in the reduction of radar cross-section	875/3
Rodak K. see Niewielski G.	79/1



Röntzsch L. see Schmidt B.	1213/4
Rosner H. see Gamża M.	269/2
Roy M.S. see Sharma G.D.	1173/4
Royae S.J., Sohrabi M., Falamaki C., Methanol dehydration to dimethyl ether using modified clinoptilolite	1149/4
Rymarczyk J. see Zarycka A.	801/3
Sadowski J. see Wosiński T.	351/2
Sagar P. see Jain A.	233/1
Sahoo K.L. see Srivastava V.C.	733/3
Sakirzanovas S. see Beganskiene A.	817/3
Samsel-Czekala M., Troć R., Talik E., Electronic band structure and X-ray photoemission studies of ternaries APdGe (A = Th,U) in the paramagnetic state	301/2
Samuel M., Menon C.S., Unnikrishnan N.V., Transport properties of as-deposited cadmium phthalocyanine Schottky-barrier devices	177/1
Sarraf Maamoori R. see Shahbahrami B.	719/3
Sasnauskas V. see Skripkiūnas G.	627/3
Satuła D. see Szymański K.	363/2
Scharnberg M. see Pannemann C.	95/1
Schmidt B., Heinig K.-H., Röntzsch L., Stegemann K.-H., Nanocluster memories by ion beam synthesis of Si in SiO <sub>2</sub>	1213/4
Schmidt M. see Załęski K.	417/2
Schnelle W. see Gamża M.	269/2
Schürmann U. see Pannemann C.	95/1
Sedghi A. see Farsani R.E.	113/1
Selladurai S. see Muthukkumaran K.	671/3
Shahbahrami B., Sarraf Maamoori R., Ehsani N., Self-spreading high-temperature synthesis of TiB <sub>2</sub> powder	719/3
Sharma G.D., Choudhary V.S., Janu Y., Roy M.S., Mechanism of charge generation and photo-voltaic effects in lead phthalocyanine based Schottky barrier	1173/4
Shen Q. see Li J.	699/3
Shevchuk Yu.A. see Pavlova-Verevkina O.B.	825/3
Shi F. see Wang C.	1101/4
Shishodia P.K. see Bhardwaj P.	69/1
Shokuhfar A. see Farsani R.E.	113/1
Siauciunas R. see Baltakys K.	1089/4
Siauciunas R. see Baltakys K.	185/1
Siauciunas R. see Baltakys K.	663/3
Siaurys V. see Balkevičius V.	209/1
Sidowski M., Robaszkiewicz S., Phase diagrams and properties of the ground state of the anisotropic Kondo lattice model	479/2
Sidowski M., Walczak K., Polaronic transport through DNA molecules	577/2
Simonetti S., Juan A., Brizuela G., Computational study of the C–C interaction in the <i>bcc</i> Fe(001) inner plane containing a vacancy	885/3
Sirutkaitis V. see Beganskiene A.	817/3
Skoneczny W., Bara M., Aluminium oxide composite layers obtained by the electrochemical method in the presence of graphite	1053/4
Skripkiūnas G., Sasnauskas V., Daukšys M., Palubinskaite D., Peculiarities of hydration of cement paste with addition of hydrosodalite	627/3
Smardz K. see Smardz L.	441/2

Smardz K., Smardz L., Okońska I., Jurczyk M., Surface segregation effect in nanocrystalline Mg–Ni alloys and composites	423/2
Smardz L. see Smardz K.	423/2
Smardz L., Niedoba H., Smardz K., Magnetic domains studies in strongly and weakly exchange coupled Co/NiO bilayers	441/2
Söderberg O. see Borak B.	167/1
Sohrabi M. see Royae S.J.	1149/4
Solati-Hashjin M. see Rabiee S.M.	1019/4
Song J. see Zhong L.	129/1
Song X. see Wang Y.	199/1
Sosnowski J., Analysis of the pinning interaction in high-temperature superconductors	1081/4
Špokauskas A. see Balkevičius V.	209/1
Srivastava V.C., Sahoo K.L., Processing, stabilization and applications of metallic foams. Art of science	733/3
Staniucha I., Urbaniak-Kucharczyk A., The influence of substrate and cap layer on magnetic characteristics of some multilayers	371/2
Stefanowicz W. see Dobrogowski W.	405/2
Stefański P., Two-level quantum dot in the Aharonov–Bohm ring. Towards understanding “phase lapse”	1243/4
Stegemann K.-H. see Schmidt B.	1213/4
Stobiecki F. see Mazalski P.	1289/4
Stobiecki F. see Szymański B.	1275/4
Stobiecki F. see Załęski K.	417/2
Stobiński L., Mazurkiewicz J., Tomasik P., Peszke J., Lin H.M., Simulated geometry of open-end single-wall carbon nanotubes with adsorbed long-chain normal alkanes and resulting implications	679/3
Story T. see Dziawa P.	377/2
Story T. see Knoff W.	295/2
Stupakiewicz A., Maziewski A., Trzcíński P., Baczewski L.T., Wawro A., Kalinowski R., In-plane magnetic anisotropy symmetry in ultrathin Co films grown on sapphire substrates	429/2
Sun D. see Chen P.	843/3
Sun Z. see Wang Y.	199/1
Suri P., Panwar M., Mehra R.M., Photovoltaic performance of dye-sensitised ZnO solar cell based on Eosin-Y photosensitiser	137/1
Suski W., About negative magnetization in non-superconducting intermetallics	333/2
Susła B., Wawrzyniak M., Barnaś J., Nawrocki W., Conductance quantization in magnetic and nonmagnetic metallic nanowires	305/2
Suś-Ryszkowska M. see Kulczyk M.	991/4
Sveklo I. see Mazalski P.	1289/4
Szajek A., Electronic structure of U <sub>5</sub> Ge <sub>4</sub>	513/2
Szajek A., Okońska I., Jurczyk M., Electronic and electrochemical properties of Mg <sub>2</sub> Ni alloy doped by Pd atoms	1251/4
Szczurek A. see Łukowiak A.	861/3
Szłaferek A. see Andrzejewski B.	1259/4
Szłaferek A. see Dubowik J.	583/2
Szłaferek A. see Leschynsky V.	275//2
Szławska M., Pikul A., Kaczorowski D., Ferromagnetic and spin-glass properties of single-crystalline U <sub>2</sub> NiSi <sub>3</sub>	1267/4
Szumiata T., Gzik-Szumiata M., Brzózka K., Modelling of thermomagnetic curves obtained with Mössbauer spectrometry for two-phase nanocrystalline alloys	559/2

Szymański B. see Mazalski P.	1289/4
Szymański B. see Załęski K.	417/2
Szymański B., Urbaniak M., Stobiecki F., Magnetic and magnetoresistive properties of CoFe/Au/Co/Au multilayered structures	1275/4
Szymański K., Olszewski W., Satuła D., Dobrzyński L., Mössbauer investigations of the magnetic structure of $\gamma$ -Fe-Mn	363/2
Szymczak R. see Wosiński T.	351/2
Szytuła A. see Wasylkowicz Ł.	1229/4
Szytuła A., Magnetic phase transitions from the point of view of macroscopic and microscopic methods	313/2
Ślawska-Waniewska A. see Lipert K.	399/2
Ślebarski A. see Gamża M.	269/2
Ślebarski A. see Goraus J.	359/2
Świątek K. see Knoff W.	295/2
Taliashvili B. see Dziawa P.	377/2
Taliashvili B. see Knoff W.	295/2
Talib I.A. see Dewi R.	657/3
Talik E. see Klimczak M.	263/2
Talik E. see Samsel-Czekala M.	301/2
Tan Y.H. see Zhong Z.W.	103/1
Tan Y.S. see Zhong Z.W.	103/1
Tanriverdi S., Mavis B., Gündüz G., Çolak Ü., Electrospinning and characterization of alumina borosilicate ceramic nanofibres	957/4
Tao Y. see Wang C.	1101/4
Taut M. see Zagorodniy K.	1203/4
Tekielak M. see Dobrogowski W.	405/2
Tekielak M. see Mazalski P.	1289/4
Thomas G.V. see Biju P.K.	919/4
Todorova N. see Vomvas A.	809/3
Toliński T. see Falkowski M.	321/2
Tomasik P. see Stobiński L.	679/3
Toplan H.Ö. see Yildiz K.	1135/4
Toplan N. see Yildiz K.	1135/4
Traidaraite A. see Balandis A.	637/3
Tran V.H. see Miiller W.	391/2
Tran V.H., Jarmulska J., Miiller W., Magnetism and electronic transport properties of $Ce_5CuPb_3$	327/2
Tran V.H., Observation of non-Fermi liquid behaviour in new Yb-based alloys	343/2
Trapalis C. see Vomvas A.	809/3
Tretiakov K.V., Wojciechowski K.W., Poisson's ratio of a soft sphere system	541/2
Troć R. see Klimczak M.	263/2
Troć R. see Samsel-Czekala M.	301/2
Trocha P., Barnaś J., Interference and Coulomb correlation effects in spin-polarized transport through coupled quantum dots	545/2
Trzeński P. see Stupakiewicz A.	429/2
Uba L., Uba S., Polewko-Klim A., Miniuk E., Luciński T., Wandziuk P., Yaresko A.N., Antonov V.N., Optical and magneto-optical study of Fe/Si multilayers	383/2
Uba S. see Uba L.	383/2
Ullah M. see Abbas T.	1161/4
Unnikrishnan N.V. see Samuel M.	177/1
Urbaniak M. see Szymański B.	1275/4

Urbaniak M. see Załęski K.	417/2
Urbaniak-Kucharczyk A. see Staniucha I.	371/2
Urbański K. see Łukowiak A.	861/3
Vaezi M.R., Esmailzadeh Kandjani A., Nikzad L., Arefian N.A., Alibeigi S., Farzalipour Tabriz M., Mir Shah Ghassemi S.H., Samei J., Synthesis of Zn <sub>2</sub> TiO <sub>4</sub> and ZnTiO <sub>3</sub> nanocomposites by the CBD method	1109/4
Veerasomaiah P. see Reddy Y.S.	619/3
Vishnuvardhan Reddy C. see Reddy Y.S.	619/3
Vomvas A., Pomoni K., Trapalis C., Todorova N., Photoconductivity in sol-gel TiO <sub>2</sub> thin films with and without ammonia treatment	809/3
Wagner-Wysiecka E. see Kledzik K.	1041/4
Walczak K. see Sidowski M.	577/2
Walczak K., Polaronic transport through molecular quantum dots. Charging-induced NDR and rectification	519/2
Wandziuk P. see Uba L.	383/2
Wandziuk P., Luciński T., Andrzejewski B., Magnetic and transport properties of Fe/Si multilayers with various iron thicknesses	599/2
Wang B. see Wang C.	1101/4
Wang C., Hao S., Shi F., Qi J., Tao Y., Wang B., Interactions of high current pulsed electron beam with phosphate laser glass	1101/4
Wang J. see Zhao B.	1143/4
Wang X. see Gong R.	1001/4
Wang Y. see Zhao B.	1143/4
Wang Y., Song X., Sun Z., Zhou X., Guo J., The solidification of CuCr alloys under various cooling rates	199/1
Wang Y., Zhuang Z., Zhou J., Study of Nb–Zn co-doped Ba(Ti,Zr)O <sub>3</sub> ceramics	121/1
Wang Z.F. see Zhong Z.W.	103/1
Wasylikowicz Ł., Jezierski A., Szytuła A., Penc B., Electronic properties of LaNiIn doped with hydrogen	1229/4
Wawro A. see Dobrogowski W.	405/2
Wawro A. see Stupakiewicz A.	429/2
Wawrzyniak M. see Susła B.	305/2
Weinert H. see Leschynsky V.	275//2
Wencel D., Higgins C., Klukowska A., MacCraith B.D., McDonagh C., Novel sol-gel derived films for luminescence-based oxygen and pH sensing	767/3
Weymann I. see Kowalik M.	453/2
Wieczorek-Ciurowa K., Gamrat K., Some aspects of mechanochemical reactions	219/1
Winiarski A. see Klimczak M.	263/2
Wiśniewska J., Barnaś J., Electronic transport in a ferromagnetic single-electron transistor with non-collinear magnetizations in the co-tunnelling regime	467/2
Wiśniewski P., Henkie Z., Prospect for research on spintronics of U <sub>3</sub> As <sub>4</sub> ferromagnet and its semiconducting Th derivatives	533/2
Wodecka-Duś B., Lisińska-Czekaj A., Orkisz T., Adamczyk M., Osińska K., Kozielski L., Czekaj D., The sol-gel synthesis of barium strontium titanate ceramics	791/3
Wojciechowski K.W. see Tretiakov K.V.	541/2
Wosiński T., Pelya O., Figielski T., Mąkosa A., Morawski A., Sadowski J., Dobrowolski W., Szymczak R., Wróbel J., Domain-wall contribution to magnetoresistance in ferromagnetic (Ga,Mn)As film	351/2
Wróbel J. see Wosiński T.	351/2

Wronka A., First principle calculations of zinc blende superlattice surfaces and multilayers with ferromagnetic dopants	527/2
Wu B. see Zhong L.	129/1
Wu M. see Zhao B.	1143/4
Wymysłowski A. see Felba J.	45/1
Wysokiński K.I., Transport in nanostructures. Recent developments	459/2
Yaresko A.N. see Uba L.	383/2
Yildiz K., Karakuş N., Toplan N., Toplan H.Ö., Densification and grain growth of TiO <sub>2</sub> -doped ZnO	1135/4
Yılmaz S., Gunay V., Crystallization kinetics of SiO <sub>2</sub> -MgO-3CaO-P <sub>2</sub> O <sub>5</sub> -Al <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> glass	609/3
Zachariasz R., Zarycka A., Ilczuk J., Determination of the lead titanate zirconate phase diagram by the measurement of the internal friction and Young's modulus	781/3
Zagorodniy K., Hermann H., Taut M., Molecular design of ultralow- <i>k</i> insulator materials	1203/4
Załęski K., Urbaniak M., Szymański B., Schmidt M., Aleksiejew J., Stobiecki F., Magnetic properties of Au/Co/Ni <sub>80</sub> Fe <sub>20</sub> /Co/Au layered structures	417/2
Zaporjčhenko V. see Pannemann C.	95/1
Zarycka A. see Zachariasz R.	781/3
Zarycka A., Bruś B., Ilczuk J., Czerwiec M., Dukat M., The internal friction background in PZT ceramics obtained by the sol-gel method	869/3
Zarycka A., Bruś B., Rymarczyk J., Ilczuk J., Phenomena responsible for energy dissipation in fine-grained PZT-type ceramics	801/3
Zhang J. see Zhou D.W.	947/4
Zhang L. see Li J.	699/3
Zhang L. see Zhong L.	129/1
Zhang X. see Chen P.	843/3
Zhao B., Wang Y., Guo H., Wang J., He Y., Jiao Z., Wu M., Iron oxide(III) nanoparticles fabricated by electron beam irradiation method	1143/4
Zhong L., Wu B., Zhang L., Song J., Influence of milling time on the performance of ceramic ball grinding media prepared from refractory waste	129/1
Zhong Z.W., Wang Z.F., Zirajutheen B.M.P., Tan Y.S., Tan Y.H., Polishing of poly(methyl methacrylate), polycarbonate, and SU-8 polymers	103/1
Zhou D.W., Peng P., Liu J.S., Energetics, electronic structure, and structure stability of the calcium alloying Mg <sub>17</sub> Al <sub>12</sub> phase from first principles calculations	145/1
Zhou D.W., Zhang J., Peng P., Liu J.S., Alloying effects on the energy and electronic structures of vanadium hydrides	947/4
Zhou J. see Wang Y.	121/1
Zhou X. see Wang Y.	199/1
Zhu L., Atesang J., Dudek P., Hecker M., Rinderknecht J., Ritz Y., Geisler H., Herr U., Geer R., Zschech E., Experimental challenges for approaching local strain determination in silicon by nano-Raman spectroscopy	19/1
Zhuang Z. see Wang Y.	121/1
Zirajutheen B.M.P. see Zhong Z.W.	103/1
Zschech E. see Zhu L.	19/1
Żurowska B., Mroziński J., Ochocki J., Coordination properties of the diethyl 2-quinolmethylphosphonate ligand with chloride and nitrate transition-metal salts	1063/4



### Key Word Index\*

ab-initio calculations	383/2	Ce <sub>5</sub> CuPb <sub>3</sub>	327/2
activation energy	649/3	cellulose	1011/4
ac-susceptibility	391/2	ceramic grinding media	129/1
adhesion	977/4	ceramics	755/3
Ag particles	19/1	chalcogenides	69/1
Aharonov–Bohm ring	1243/4	charge generation	1173/4
Aharonov–Bohm ring	435/2	chemical bath deposition	1109/4
Al(OH) <sub>3</sub>	637/3	chemical-mechanical polishing	103/1
γ-Al <sub>2</sub> O <sub>3</sub>	637/3	chromoionophore	1041/4
Al–SiC <sub>p</sub> composite	155/1	clinoptilolite	1149/4
alumina	957/4, 1029/4	clustering	1161/4
aluminate	755/3	CMR	619/3
aluminium alloy	57/1	CO <sub>2</sub>	969/4
aluminium oxide	1053/4	Co <sub>2</sub> CrAl thin film	1281/4
aluminosilicate refractory waste	129/1	(Co–Cu) <sub>2</sub> Z hexaferrite	875/3
aluminothermic reaction	719/3	coagulation	825/3
ammonia treatment	809/3	coatings	843/3
analcime	637/3	cobalt	405/2, 429/2, 1289/4
anisotropic spin exchange	485/2	coercivity	399/2
anticorrosion	843/3	cohesive energy	145/1
antireflection coating	243/1, 817/3	colloidal silica	817/3
aqueous sol-gel process	755/3	combustion synthesis	1029/4
artificial neural network	861/3	commercial polyacrylonitrile fibre	113/1
asparagine	1029/4	composite layered material	275/2
ASW	1229/4	composite	85/1, 1053/4, 1109/4
atomic force microscopy	671/3	computer simulation	679/3, 885/3, 1193/4
austenitic steel	79/1	copper	991/4
azole azocrown ether	1041/4	copper sulfide layer	933/4
		corrosion	57/1
ballistic transport	305/2	co-tunnelling	467/2
barium strontium titanate	657/3	critical current	1081/4
barium titanate zirconium	121/1	critical field	1259/4
(Ba <sub>0.6</sub> Sr <sub>0.4</sub> )TiO <sub>3</sub>	791/3	crystalline SiO <sub>2</sub>	663/3
bioceramics	609/3, 1019/4	crystallization	609/3
bioglass	609/3	CuCr alloy	199/1
blend	919/4	Curie temperature	371/2
boron	957/4	Cu–SiC composite	687/3
calcium phosphate	1019/4	dc-magnetization	391/2
calcium silicate hydrate	185/1, 663/3, 1089/4	decoherence	519/2, 577/2
carbon	885/3	degradation	95/1
carbon fibre	85/1, 113/1	dense random sphere packings	1193/4
carbon nanotube	679/3	densification	1135/4
catalyst	1149/4	density functional theory	527/2

\*Page number/Issue number.

dielectric properties	121/1, 699/3, 1203/4	fibrous mineral wool waste	209/1
dielectric spectroscopy	899/3	fine-grained aluminium bronze alloy	1119/4
diffusion	851/3	finite element method	687/3
digital ferromagnetic heterostructure	527/2	flash memories	33/1
dimethyl ether	1149/4	fluoroionophore	1041/4
dislocation	243/1	fly ash	57/1
disordered alloy	1223/4	FMR	371/2
DNA-based device	577/2	FPLO	269/2
DNA electronics	577/2	fractals	491/2
domain structure	869/3, 1289/4	fractional dynamics	491/2
domain wall	351/2	fractionation	825/3
double-layer absorber	1001/4	fractons	491/2
dye sensitized solar cells	137/1	free-electron gas	447/2
		friction	977/4
ECAE	1119/4	friction coefficient	155/1
EDX	473/2	fullerene-based dielectrics	1203/4
efficiency	243/1	fusibility characteristics	209/1
elastic constant	541/2		
elastic properties	619/3	gadolinia doped ceria	671/3
electric conductivity	781/3	GMR sensor	1275/4
electric permittivity	791/3	grain growth kinetics	1135/4
electrical resistivity	313/2, 391/2, 411/2	grain refinement	991/4
electrochemical measurement	843/3	graphite	1053/4
electron beam	1143/4	Green function	497/2
electron–electron interactions	497/2	gyrolite	185/1, 1089/4
electron transport properties	327/2		
electronic structure	145/1, 269/2, 301/2, 359/2, 423/2, 513/2, 553/2, 1223/4, 933/4, 1229/4, 1251/4	half-metal	527/2, 583/2
		Hall effect	343/2, 599/2
electronic transport	533/2	hardened cement paste	627/3
electrospinning	957/4	heat treatment	609/3
encapsulation	95/1	Heusler alloy	553/2, 583/2, 1281/4
envelope method	709/3	high-angle boundaries	79/1
Eosin-Y	137/1	high magnetic permeability	275/2
epoxidized natural rubber	919/4	HTc superconductors	1081/4
EPR	1011/4, 1127/4	Hubbard model	485/2
estimation	851/3	hydraulic activity	627/3
eutectics	1259/4	hydrides	1229/4
exchange biasing	441/2	hydrosodalite	627/3
exchange interaction	479/2	hydrosol	825/3
		hydrostatic extrusion	991/4
Fano effect	435/2, 545/2	hydrothermal synthesis	637/3
ferroelectric ceramics	791/3	hysteresis	875/3
ferromagnet	533/2	hysteresis loop	1289/4
ferromagnetic semiconductor	351/2, 377/2	impedance matching	1001/4
ferromagnetic shape memory	583/2	impurity	243/1
ferromagnetic single-electron transistor	453/2,, 467/2	inert atmosphere	875/3
		interdigital structure	95/1
ferromagnetic transition	295/2	interface	383/2, 899/3
ferromagnetism	1267/4	interface boundary condition	851/3
		interlayer dielectrics	1203/4



intermetallic compounds	301/2, 1259/4	mechanical properties	1119/4, 1203/4
intermetallics	411/2	mechanochemical reaction	219/1
internal friction	781/3, 801/3, 869/3	melt spinning	199/1
inverse power potential	541/2	MEMS	103/1
ion beam synthesis	1213/4	metal hydride	1251/4
iron	885/3	metal matrix composite	57/1
iron alloy	363/2, 1223/4	Meyer–Neldel rule	69/1
iron carbide	399/2	MFA approximation	559/2
iron oxide(III)	1143/4	Mg <sub>17</sub> Al <sub>12</sub> phase	145/1
irradiation	1143/4	Mg-based alloy	1251/4
		micro-cracks	1101/4
kinetics	609/3	microelectronic packaging	45/1
Kondo effect	435/2, 479/2	microelectronics	1203/4
		microstructural evolution	1119/4
LaNiIn hydride	1229/4	microstructure	121/1, 199/1, 699/3, 1127/4
lanthanum-based thin films	977/4	microwave-flash combustion	1075/4
laser	1101/4	mixed valence	321/2
laser threshold	817/3	MMP	1001/4
lattice constant	1161/4	γ-Mn-Fe alloy	363/2
lattice parameters	263/2	molecular design	1203/4
lead borate glass	1127/4	molecular electronics	283/2
lead phthalocyanine	1173/4	molecular memories	33/1
liquid phase separation	199/1	molecular quantum dot	519/2
Li <sub>2</sub> ZrO <sub>3</sub>	969/4	Mössbauer spectrometry	559/2
LMTO	553/2, 1229/4	Mössbauer spectroscopy	363/2
local magnetic moment	1223/4	multicrystalline silicon	243/1
low-k dielectrics	1193/4	multilayers	371/2, 1289/4
low-melting illite clay	209/1		
luminescence sensor	767/3	NAND	33/1
		nanocomposite	875/3, 899/3
magnetic anisotropy	429/2	nanocrystalline alloy	423/2, 559/2, 1251/4
magnetic domain effect	533/2	nanocrystalline structure	991/4
magnetic domains	405/2	nanocrystalline TiO <sub>2</sub>	809/3
magnetic moment	513/2, 553/2	nanocrystals	825/3
magnetic multilayers	383/2, 599/2, 1275/4	nanofibre	957/4
magnetic nanowire	305/2	nanometallic lead	1127/4
magnetic phase transition	313/2	nanoparticles	1143/4
magnetic properties	327/2, 333/2, 1281/4	nanopowder	969/4, 1109/4
magnetic SiO <sub>2</sub> -Ni particles	167/1	nanoscience	283/2
magnetic susceptibility	263/2	nano-sized material	219/1
magnetic switching	1235/4	nanostructure	351/2, 459/2
magnetisation	371/2, 447/2	nanotechnology	283/2, 1081/4
magnetism	1063/4	Nb–Zn co-doped	121/1
magneto-optical spectrum	383/2	negative differential resistance (NDR)	519/2
magnetoresistance	351/2	negative magnetization	333/2
manganese alloy	363/2	neutron diffraction	313/2
manganite	619/3	nickel particles	167/1
material removal rate	103/1	nickel	991/4
mechanical activation	219/1	Ni–Mg alloy	423/2
mechanical alloying	219/1	non Fermi liquid	343/2, 391/2

nonvolatile memories	33/1, 1213/4	pseudopotential plane-wave method	145/1
N, O ligand	1063/4	pseudopotential theory	1161/4
NOR	33/1	pulse electroacoustic analysis	899/3
normal hydrocarbon	679/3	pulsed electron beam	1101/4
		pulsed laser deposition	671/3
oblique deposition	69/1	PZT	801/3, 869/3
optical band gap	649/3	PZT phase diagram	781/3
optical oxygen sensor	767/3		
optical pH sensor	767/3	quantized conductance	305/2
optical recognition element	1041/4	quantized spin model	565/2
organic memories	33/1	quantum dot	435/2, 545/2, 1243/4
organic semiconductor	177/1	quantum point contact	305/2
ORMOSIL	767/3	quantum transport	459/2
oscillatory compression test	79/1	quantum tunneling of magnetization	505/2
OTFT	95/1		
		radar absorbing material	875/3
paramagnetic susceptibility	447/2	radical	1011/4
particle size	129/1	Raman scattering	19/1
patterning	835/3	Raman spectroscopy	7/1
Pd coating	1251/4	rare earth	85/1
PEA	899/3	rare earth compound	377/2
pectolite	185/1	rare earth intermetallics	313/2, 333/2
pentacene	95/1	rare earth–transition metal compound	263/2
perovskite	755/3, 791/3	reactive milling	219/1
perpendicular magnetic anisotropy	1275/4	rectification	519/2
phase diagram	479/2, 485/2	reflectivity	1001/4
phase lapse	1243/4	RVE geometry	687/3
phase shift	1243/4		
phosphate glass	1101/4	saturation magnetic polarization	275/2
photoelectron spectroscopy	411/2	scanning microscopy	1053/4
photoemission	301/2, 377/2	Schottky barrier	177/1, 1173/4
photovoltaic effect	1173/4	scratch	977/4
phthalocyanine	649/3	screening design	1029/4
pinning	1081/4	screening method	113/1
Plackett–Burman method	113/1	SEM	473/2
plane-wave pseudopotential theory	933/4	semimagnetic semiconductor	295/2
plastic behaviour	687/3	serine	1029/4
plastic deformation	363/2	severe plastic deformation	991/4
plasticizing effect	919/4	SHS	719/3
Poisson's ratio	541/2	signal conditioner	861/3
polaronic transport	519/2, 577/2	silica fume	663/3
polyamide	933/4	silica spherical particles	835/3
polyimide	85/1	silica xerogel matrix	1041/4
polymer	103/1	silicate	957/4
polymer matrix	45/1	silicon nanocrystal	1213/4
polyvinyl chloride	919/4	silicon–germanium	7/1
porosity	619/3, 1019/4	silsesquioxane	843/3
porous structure	1193/4	silver nanoparticle	473/2
Portland cement	663/3	$\alpha$ -Si <sub>3</sub> N <sub>4</sub>	699/3
potassium pentathionate	933/4	single crystal	263/2

single molecular magnet	505/2, 1235/4	ternary silicide	1267/4
sintering additive	699/3	thermal conductivity	45/1
smart sensor	861/3	thermally conductive adhesives	45/1
soft magnetic material	275/2	thermally stimulated depolarization	899/3
soft sphere	541/2	thermomagnetic curve	559/2
sol-gel	233/1, 843/3, 861/3, 957/4	thin film	447/2, 583/2, 599/2, 649/3
sol-gel method	167/1, 657/3, 767/3, 781/3, 791/3, 801/3, 809/3, 817/3, 835/3, 869/3	thin layer	295/2
		TiO <sub>2</sub> doping	1135/4
sol-gel process	875/3	tip enhanced Raman spectroscopy	19/1
solidification	199/1	titania	825/3
sorbent	969/4	titanium diboride	719/3
spark plasma sintering	699/3	tobermorite	185/1
specific heat	313/2	transient photoconductivity	809/3
specific heat of solids	321/2	transition metal pseudopotential model	1161/4
spectroscopy	1063/4	transition-metal complexes	1063/4
spin coating	657/3	transparent ceramics	1075/4
spin Hall effect	459/2	transport properties	177/1
spin ladder	565/2	transport through magnetic structures	505/2
spin wave parameter	371/2	TSD	899/3
spin glass	1267/4	tunnel magnetoresistance	545/2
spin label	1011/4	two-phase coupled system	559/2
spin-polarized current	453/2, 1235/4	ultralow-k dielectrics	1203/4
spin-polarized transport	467/2	ultrathin film	405/2, 429/2, 1289/4
spin transfer	571/2	unidirectional anisotropy	441/2
spin-transfer torque	453/2	uranium	1267/4
spintronics	377/2, 571/2	uranium compound	513/2, 533/2
spray pyrolysis	709/3	uranium ternary compounds, URh <sub>1-x</sub> Ru <sub>x</sub> Ge	391/2
STM	473/2	vacancy	885/3
Stoner–Wohlfarth model	399/2	vanadium hydride	933/4
strain	7/1	visible absorption	1127/4
strained silicon	19/1	volatile organic compound	861/3
stress modelling	7/1	waveguide	875/3
strong electron correlations	359/2	wear	57/1, 977/4
substructure	79/1	wear rate	155/1
successive magnetic phase transitions	327/2	wear resistance	129/1
sulfurisation	933/4	XPS	269/2, 321/2
superconductor	1259/4	X-ray diffraction	663/3, 1053/4, 1089/4
superparamagnetism	399/2	X-ray studies	791/3
surface finish	103/1	Yb-based intermetallic	343/2
surface morphology	1101/4	Young's modulus	781/3
surface state	497/2	yttria nanopowders	1075/4
switching	571/2	Z phase	1089/4
synthesis	1075/4	zeolite	637/3, 1149/4
synthetic bone graft substitute	1019/4	ZnO	233/1, 709/3, 1135/4
Taguchi experimental design	719/3, 1149/4		
temperature	155/1		
tempo	1011/4		
tensile strength	1001/4		

28

ZnO electrode  
ZnTiO<sub>3</sub>

137/1 Zn<sub>2</sub>TiO<sub>4</sub>  
1109/4 Z-phase

1109/4  
185/1